

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building		
	(I) Administrative Section: Total Area 624.93 sq.ft (which includes) Principal Room, P.A. Room, Reception cue Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes	Adequate
	(II) Lecture Halls: a) Total No. of Lecture Halls . – 4 b) IT enabled, Audio / Video teaching Aids:- YES . c) Total area for lecture Halls .4484.27	Yes	Adequate
	(III) Seminar or Conference or Examination Hall: a) Total Area .2997.04 .Sq.ft. b) Total Seating Capacity . 250 c) Audio / Video System and Other Facilities . .Yes .	Yes	Adequate
	(IV) Central Library: a) Total Area : 2717.89. sq.ft. Total No. of Books .3000 . Distribution of books 320. Capacity of Reading Hall :-for Students . 100. for Teachers . 10. . . . No. of Scientific Journals . 5. No. of News Papers . 03 Photo Copier Machine02 . . Drinking water & Washrooms. . Available b) Digital Library: No. of Computers. .10 Internet Facility. . Available.	Yes	Adequate
	(V) Teaching Departments: There shall be Five Teaching Departments as per MSR No. of departments 8 Departmental Area, No. of Books/ Charts / Models / Specimen's (dry and wet) / Museum in each department information to be uploaded on college website.	Yes	Adequate
	(VI) Laboratories: Laboratories: As per MSR (9626.2Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1515.33 Sq.ft.), CHN (1141.48 Sq.ft.), Nutrition (1141.48Sq.ft.), OBG and Pediatric (856.70Sq.ft.), Pre-Clinical Science (1038.86Sq.ft.), Advanced Nursing Skill Lab (1665.89Sq.ft.), Computer Lab (1665.89Sq.ft.), with 10 computer as per Intake capacity, AV Aids (600.57Sq.ft.), well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes	Adequate
	(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids. OR Multipurpose Hall: - College of Nursing should have multipurpose hall, if there is no auditorium.	Yes	Adequate

	(VIII) Canteen and Kitchen Facility: [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
	(IX) Common Rooms: Separate common rooms for boys and girls with adequate space and sitting arrangement shall be available.	Yes	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 789sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination Hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility, Is there any LMS (learning management system software) available	Yes	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes	Adequate

Hospital


6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital: Kalyani General And Maternity Hospital	Yes	Adequate
	Address: A/P- Murud ,Tal- Murud Janjira ,Dist- Raigad		
	Telephone No.: 9423376977		
	Bed Strength: 100		
	Distance of Hospital from the College to which it is attached (in kms) 8km	Yes	Adequate
	Number of beds registered as per BNH Act	Yes	Adequate
7	I. Total constructed area of Hospital Building as per MSR (17275Sq.ft / Sq.ft.)	Yes	Adequate
	Whether the Hospital is Owned by the College / Management or Rented?	Yes	Adequate
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	Adequate
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD Complex 660.0128478 Sq.ft.No. of OPD's ...04.... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD Complex 1246.39 Sq.ft. No. of IPD Departments 3 Bed Distribution...100... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	V. Operation Theatres Block as per MSR Total Area of OT Block 2.44...sq.ft. No.of OTs available 2 Facilities shall be as per MSR & all details shall be on college website.	Yes	Yes
	VI. Casualty Facilities State Government Permission Letter	Yes	Yes
	VII. Central Clinical Laboratory: Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes	Yes
	VIII. Radiology or Sonography Section: Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Yes
IX. Labour Room:	Yes	Yes	


[Signature]
Principal

[Signature]
Principal


= परिष्कार =

सदर बतारिपण स नीवनी कावदा १९०८ अंतर्गत अनालेख्य
 विपुली मुगार नीवनीस बाळस केलेला आहे बतारातील संतुर्ल
 निवृत्त निवायक जवली मालीवार जवली, अलिखलेला-वा जवली
 व लीवे-दशा नीवना जीवनीस जीवनीस व बतारा जीवनीस
 कोणतेही बाळस व जवली, किता, कावरीस व जीवनीस वल
 निवृत्त व जवली देणार बाळी तपारासी व काळी केडी आहे
 वनिवृत्त वा बाळस बाळी कावरीस वल निवृत्त अनालेख्य लवकी
 सार्वनी जवलीसारी अली विवृत्तनी आहे

केदार




४२२
 दत्ता क ६२०/२०१५
 ४/२०



LEASE DEED
 is executed on 26th day of October 2015


BETWEEN


MRS. Nootan Ramling Mali, Age 48 years residing at flat No 02, Gr. Floor, Dattabhumik Co-op. Housing Society Ltd. Nandivli Rd, Near Nala, dombivli (E) - 421 201 , here in after Called the LESSER (With expression shall unless repugnant to the context or meaning their of and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PARTS** ;


AND

Research.

Ramling B Mali Secretary ,National Health Law Institute' (Rashtriya Arrogya Nayaya Sanshodhan Sanstha) 304, Dattabhumik Nandivli Rd, Near nala, Dombivli East, hear in after called 'THE LESSEE' (Which expression shall unless repugnant to the context or meaning their of and shall include his legal heirs, executors administrators and assigns) of the **SECOND PARTS**;







Principal
 Raigad Institute Of Nursing Education

[Handwritten signature]

WHEREAS The LESSOR was need of Land on lease for their trust
Activation at Walvati, Tal Murud Janjira, Dist Raigad. They
approached the lessee, who willingly agreed to offer her premises at Gal no 310
assessment of Walvati revenue accordingly, the parties have decided to convert
the mutually agreed terms and conditions of this lease deed into writing which
are as follows.

[Handwritten notes in a box]
E/20
E/20

- 1) The lesser shall offer land amounting **58.20 Gunta land, area at Gal no 310 Walvati , taluka Murud Janjira Dist Raigad** lessor for the period of 30 years
- 2) The lessee will pay Rs. 1 (Rupees one only) per gunta per Month to words monthly lease amount to the lesser accordingly lesser has agreed to accept the same.



This lease deed shall remain valid for the period of 30 years with effects from 26th October, 2015. Onwards. In case any dispute arises, the representative from Managing Trustee of National Health Of Law Research Institute & owner of the Land shall as act an arbitrator and in that event, his decision shall remain binding.

- 4) It shall be duty of the lessee that the land offered by the Licensor, should be kept neat at clean by the users & they should not create any ownership right or any type of nuisance or trouble to the lesser regards to ownership in future.

[Handwritten signature]

- 5) The lesser is agreed to provide the permission / NOC for _____ as per need and requirement during lease period, or modification with the consent of the lesser during period of the lease, thereafter lessee will hand over the entire piece of land including the structure on it without any cost. In case of requirement of Lease tenure to be extended , it will be decided by the lesser at that time , if accepted by lesser it may be extended from time to time.

[Handwritten signature]


- 6) Electricity charges, Maintenance charges, Govt. taxes, repair charges & any other charges payable in respect of the said land will be born by the lessee including stamp duty and registration charges too subject to audit of state Govt or Accountant General of state of Maharashtra.

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

महेश्वर
दस्तावेज क्र. ६२०/२०१५
७/२०



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

राज्य शिक्षण विभाग, शिक्षण
 वावणी, तालुका: जंजिरा.

Handwritten notes:
Nootan
B...

7) Both the parties have to give Three Months advance intimation / notice if they want to terminate the lease deed as well as the lease deed ceases to an end automatically, if lessee has stopped use of premises. The lessor is entitled for all the right as off no lease deed has been executed between the parties

8) For any complaints or grievances of any nature Lessee should approach only to the lessee.

IN WITNESS WHEREOF THE the parties have to have set and subscribed their respective hands and signed this Agreement on the 26th October day and 2015 year first hour in above written.

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED LESSER }



Handwritten signature of Mrs. Nootan R. Mali.



Mrs. Nootan R. Mali

IN THE PRESENCE OF FOLLOWING }

WITNESSES

Tushar Krishna Divekar
At Nandgaon, Tel: Mirud



Handwritten signature of Mr. Ramling B Mali.



Mr. Ramling B Mali

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMES LESSEE }


Secretary NATIONAL HEALTH & LAW RESECH INSTITUTE, represented by etc }

National Health Law Research Institute
(Org by: Pashtriyas Arroya Naya sanhodhan Sanstha)




IN THE PRESENCE OF THE FOLLOING }

Krushna Babaji Divekar
At Nandgaon Tel: Mirud



Stamp with handwritten text: 620/2014 and 2/20




TOTAL BUILT UP AREA STATEMENT


PROPOSED BUILT UP AREA ON GROUND FLOOR = 1174.95 SQ.M.
 PROPOSED BUILT UP AREA ON FIRST FLOOR = 1173.99 SQ.M.
 PROPOSED BUILT UP AREA ON SECOND FLOOR = 1174.95 SQ.M.
 TOTAL BUILT UP AREA (G+2) = 3523.89 SQ.M.

NO.	ROOMS	AREA
1	LIBRARY - 1	12.47 X 7.39
2	LIBRARY - 2	8.53 X 18.17
3	NURSING FOUNDATION LAB	19.05 X 7.39
4	ADVANCED CLINICAL LAB	13.06 X 8.12
5	MULTI-PURPOSE HALL	35.29 X 8.12
6	OPEN TERRACE	
7	COMMON ROOM MALE	17.30 X 7.39
8	COMMON ROOM FEMALE	17.30 X 7.39
9	LECTURE HALL	13.06 X 7.39
10	LECTURE HALL	13.24 X 8.12
11	LECTURE HALL	13.09 X 8.12
12	LECTURE HALL	13.06 X 8.12
13	AV. AIDS ROOM	7.59 X 7.39
14	STAFF ROOM	12.57 X 7.39
15	CHN	13.06 X 8.12
16	NUTRITION	13.06 X 8.12
17	ROOM	8.57 X 8.12
18	ROOM	8.57 X 8.12
19	OBG & PAEDIATRICS LAB	13.06 X 7.39
20	PRI-CLINICAL SCIENCE LAB	13.06 X 7.39
21	H.O.D. ROOM	13.47 X 7.39
22	FACTORY ROOM	19.06 X 8.12
23	COMPUTER LAB	19.06 X 8.12 (MAX)

SECOND FLOOR PLAN



FIRST FLOOR PLAN



GROUND FLOOR PLAN

[Handwritten Signature]

Principal
 Raigad Institute Of Nurs'
 At. Walvati, Tal. M.

PROPOSED PLAN OF
 COLLEGE
 RASHTRIYA AAROGYA
 NYAYA SANSKODHAN
 SARSTHAS
 AT- WALWATI,
 TQ. MURUDJATIGA
 DIST. RAIGADH

NOTE:
 DO NOT SCALE THE DRAWING. FOLLOW
 THE WRITTEN DIMENSIONS ONLY.

SCALE: 1/4" = 1'-0"

OWNER

ARCHITECT
 RAJESH K. SHAMBERE
 ALLIA
 OPPOSITE

Architect, interior designer
Landscape designer | vaastu
approved panel architect / consultant of state bank of Hyderabad.
office : b-3, 4 wing, 1st floor, bhawal bazar, appt. corner,
aurangabad. cell : 9423150470 | vaasturekha777@gmail.com



BUILDING COMPLETION CERTIFICATE

The building for the "Rashtriya Arogya Nyaya Sanshodhan Sanstha" is Constructed in Gat no 310 at Walavti, Taluka Murud-Janjira, District Raigad.


Total building construction is completed with an area admeasuring of 3166.56 sq. Mt i.e., **34084.85 Sq.Ft.** as per architect plans approved. The building is well occupied, electrification and plumbing is also completed is fit and ready to use for educational purpose. The building is having all sanitary requirement and soak pit drainage system is functioning. The ramp and rails are installed for barrier free environment is maintained well. Including garage facilities

Date: 25/9/2021


Place: Murud-Janjira




Principal
Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.




ELEVATION




SECTION AT A-A




GROUND FLOOR PLAN
HOSTEL BLOCK -2



FIRST FLOOR PLAN
HOSTEL BLOCK -2




SECOND FLOOR PLAN
HOSTEL BLOCK -2




GROUND FLOOR PLAN
HOSTEL BLOCK -1

Handwritten signature



SECOND FLOOR PLAN
HOSTEL BLOCK -1



FIRST FLOOR PLAN
HOSTEL BLOCK -1

AREA SUMMARY

01. BUILT UP AREA ON GROUND FLOOR (HOSTEL BLOCK - 1)	= 694.26 SQ.M.
02. BUILT UP AREA ON FIRST FLOOR (HOSTEL BLOCK - 1)	= 694.26 SQ.M.
03. BUILT UP AREA ON SECOND FLOOR (HOSTEL BLOCK - 1)	= 218.25 SQ.M.
04. BUILT UP AREA ON GROUND FLOOR (HOSTEL BLOCK - 2)	= 454.25 SQ.M.
05. BUILT UP AREA ON FIRST FLOOR (HOSTEL BLOCK - 2)	= 454.25 SQ.M.
06. BUILT UP AREA ON SECOND FLOOR (HOSTEL BLOCK - 2)	= 454.25 SQ.M.
07. TOTAL BUILT UP AREA (HOSTEL BLOCK - 1 & 2)	= 3046.68 SQ.M.

HOSTEL BUILDING

DETAILS OF OPENING

NO.	DESCRIPTION	AREA
1	DOOR	1.00 x 2.00
2	WINDOW	1.50 x 1.00
3	GLASS	1.50 x 1.00

SCALE OF DRAWING: 1/4" = 1'-0"

DO NOT SCALE THE DRAWING / FOLLOW THE DIMENSIONS ONLY



REG NO: CA/99/24709

architect | interior designer
landscape designer | valuer
approved panel architect / consultant of state bank of Hyderabad.

office : b+3, f-wing, first floor, bhara bazaar, a.p.l. corner,
aurangabad. cell : 9423150478 | vaasturekha777@gmail.com




BUILDING COMPETITION CERTIFICATE

The Building for the “ Rashtriya Aarogya Nyaya Sanshodhan Sanstha ” is
Constructed in Gat no 308 at Nandgaon, Taluka Murud Janjira, District Raigad.

Total building construction is completed with an area admeasuring of
3048.64 sq. Mt i.e. **32815.56 sq.ft.** as per the plans approved. The building is well
ventilated, electrification and plumbing is also completed is fit and ready to use for
educational purpose. The building is having all sanitary requirement and soak pit
drainage system is functioning. The ramp and rails are installed for barrier free
environment is maintained well.

Date: 25/9/2021

Place: Murud Janjira



Principal
Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.

(45)

RASHTRIYA AROGYA NYAYA SANSHODHAN SANSTHA
(National Health Law Research Institute)

Head Office: 304, Dattabhumik, Nandivli Rd, Dombivli (E), Thane, MS, INDIA pin -421201

Branch Office address: At: Walvati, Tal: Murud Janjira, Dist.: Raigad - 402401

Mobile No: 9920261017 / 9819071198. Email: raigadine@gmail.com

RESOLUTION NO.34/2020

It is resolved that; land bearing Gat no- 308 is having hostel building which will be use for B.sc Nursing student's hostel. This building will be taken from Dr. Nootan R. Mali for Hostel building purpose for the trust.

This is extract of Resolution passed in executive committee meeting of trust.

Proposed by- Mr. Ajit Khule

Sended by- Mr. Pralhad Gunjat


Sd/-

Rashtriya Aarogya Nyaya Sanshodhan Sanstha
(Organized by : National Health Law Research Institute)

Secretary

Rashtriya Aarogya Nyaya Sanshodhan
Sanstha

Principal
Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.



Regn. No. MH10K9473


MH21956987


Regd. Owner RASHTRIYA AROGYA NAYA SANSD SANSTHA
 S/O/W of N/A
 Purpose HPT
 Regn. Date 02/09/2014
 Colour YELLOW
 Fuel DIESEL
 Vehicle Class Bus - TN
 Body Type SCHOOL BUS
 Manufacturer MRL TRANS LTD
 Chassis No. MBUWELAKFK9188017
 Engine No. BL7HT3FX188480
 Model No. WV 265 TC SCHOOL BUS
 Hypothecated To
 Manufacturing DL06/2014
 Seat Capacity 823
 Stand. Capacity 80
 Tax Paid Up To See Tax Rept
 Regd. Validity See F Cert
 Address SAT NO 847 LANDGEWADI TAL
 KAVATHEMAHANKAL Sangli MH416405



Urinder WT 0000
 Cubic Capacit 00000
 Wheel Base 00000
 R.L.W 00000

DY RTO SANGLI
 Issuing Authority


 Signature Of Issuing Authority


 Principal
 Raigad Institute of Nursing Education
 At Wavati, Tal. Murud Janjira
 Wavati, Tal. Murud Janjira



**THE UNION OF PRADESH
MAHARASHTRA STATE MOTOR DRIVING LICENCE**




DL No **MMHNS 29070001455**
Valid Till **12-08-2030 (INT)**

DOI **13-11-2007**
26-09-2015 (TR)
DLD **06-09-2014**


FORM 7
RULE 16 (2)

**AUTHORISATION TO DRIVE FOLLOWING CLASS
OF VEHICLES THROUGHOUT INDIA**



COV	DOI
LMV-TR	13-11-2007
MTCWG	13-09-2010
TRANS	13-09-2010

Badge **10367TALI**
DOB **03-06-1982** **BG 641000US**



Name **VIKAS PATIL**
S/O/M of **AMANT PATIL**
Add **ATPO-AKSHI, TAL-ALIBAG, DIST-RAIGAD.**

PIN **402201**
Signature & ID of
Issuing Authority **Kumar**
MMHNS 2014108

Signature/Thumb
Impression of Holder



[Signature]
Principal
Flagad Institute Of Nursing Education
At. Wairath, Tal. Murad-Janjira

Name	RASHTRIYA AROGYA NAYA SANSO SANSTHA	Vehicle Registration No.	MH10K9473
Address	GAT NO.847 LANDGEWADI,TAL KAVATHEMAHANKAL,SANGLI-416405,Sangli-415311	Partner Name	TURTMINT INSURANCE BROKING SERVICES PRIVATE LIMITED
Mobile	xxxxxxxx1198	Partner Code	1000088
Email	xxxxxxxxxx5@gpxxl.com	Partner Email	support@turlemint.com
Aadhar No.	--	Partner Mobile No.	--
		For claims,contact us at	1800-258-5956

YOUR POLICY DETAILS

Policy No.	D131629736 / 16012024	Policy Issue Date	16-Jan-2024	Invoice Date	16-Jan-2024
Period of Policy	From 16-Jan-2024 11:43:03 To 15-Jan-2025 23:59:59				
NCB % (Current Policy)	35 %	Policy Type	Public Carrier		
Compulsory Deductible	1000	Voluntary Deductible	--		

YOUR VEHICLE DETAILS

Make	SML ISUZU	Trailer Reg. No.		RTO Location	Sangli,MAHARASHTRA
Model/Vehicle Variant (Sub-Type)	WV 265 TC / 23 Seater/SCH BUS	Year of Regn. / Manufacturing	2014 / --	Licensed Seating Capacity	23
Engine No.	SLTHT3FX189480	Chassis No.	MBUWEL4XFX0195817	Cubic Capacity	3455 CC
Fuel Type	Diesel	Gross Vehicle Weight	5990KG	Vehicle Body Type	OEM Inbuilt Non AC
Goods Type	--	Permit Type	Public Carrier	Wheels	6
Odometer	FASTag Number NA	Financier Details			

FASTag NUMBER DECLARATION

The Policy has been issued subject to your affirmative declaration that a valid FASTag has been affixed on the insured vehicle.

YOUR VEHICLE IDV (THE MAXIMUM MONEY YOU CAN GET IN CASE OF A CLAIM)

Vehicle IDV (₹)	IDV of Electrical Accessories (₹)	IDV of Non-Electrical Accessories (₹)	CNG/LPG KIT IDV (₹)	Trailer IDV (₹)	Body IDV (₹)	Total IDV (₹)
500000	--	--	--	--	--	500000.00

OWN DAMAGE PREMIUM [A] (₹)	LIABILITY PREMIUM [B] (₹)
Own Damage Premium (₹)	Basic Third-Party Liability (₹)
Add-Ons Premium (₹)	PA cover for Owner-Driver (₹)
NCB Discount Amount (₹)	Legal Liability to Paid (₹) Driver (Persons:1)
	Legal Liability for Operation / Loading / Unloading(Persons:1)(₹)
Total OD Premium (₹)	Total Act Premium (₹)
Net Premium [A+B] (₹)	
CGST @ 9% = (₹2587.53) + SGST/UTGST @ 9% = (₹2587.53)	
Total Premium (₹)	

CSC ID	
VLE / RAP Name	
VLE / Mobile Number	

This policy is issued on the basis of declaration provided by you that the Vehicle shall only be used for the purpose of Carrying school staff and/or school children. Any deviation in usage of this vehicle other than what has been declared, shall amount to misrepresentation and Insurer shall have the right to cancel the policy and/or reject any claim on above stated gross violation.

Note: The above total OD premium is inclusive of all applicable loading / discounts viz (automobile association memberships, voluntary excess, anti-theft handicap person, driver tuition, fiber glass, CNG/ LPG unit, geographical extension, imported vehicle etc., wherever applicable).

If the "Own Damage Cover" under your policy is cancelled during the policy period, then your policy shall be governed by the standard terms and conditions of "Act only" policy for the Third Party Cover during the remaining period of policy.

In case of an accident to your vehicle, please intimate us immediately for SPOT SURVEY. Failure to intimate in time could prejudice your claim.

ENDORSEMENT

Invoice Number	Invoice Date	Net Premium	Igst	Cgst	Sgst	Utgst	Cess	Gross Premium
----------------	--------------	-------------	------	------	------	-------	------	---------------

Policy No: D131629736
Page No: 1 of 2

[See rules 115 (2)]

Pollution Under Control Certificate


Authorised By :
Government of Maharashtra

Date : 14/02/2024
Time : 12:08:15 PM
Validity upto : 13/08/2024



Certificate SL. No. : MH00600180007390
Registration No. : MH10K9473
Date of Registration : 02/Aug/2014
Month & Year of Manufacturing : June-2014
Valid Mobile Number : *****7994
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : MH0060018
GSTIN :
Fees : Rs.150.00
(GST to be paid extra as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.11

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.


Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm

Principal
 Raigad Institute of Education
 At. Walvati, Tal. Murbad, Dist. Jalgaon.

Regn. No. MH10K0472 **MH21032753**

Regd. Owner: RAJWATI ACADEMY TRUST SAMBODWAR
 SOW of: N/A
 Purpose: HPT
 Regn. Date: 08/08/2014
 Color: Yellow
 Fuel: Diesel
 Vehicle Class: Bus - TC
 Body Type: SEATED BUS
 Manufacturer: GANESH LTD
 Chassis No.: GANESH/AGM/10000
 Engine No.: 017000000
 Model No.: WT 50 TC BSWB
 Hypothecated To: RAJWATI ACADEMY TRUST
 Manufacturing Dt: 08/08/14
 Serial Capacity: 091
 Serial Capacity: 09
 Tax Paid Up To: Bus Tax Regn
 Regn. Validity: Bus F Card
 Address: RAJWATI ACADEMY TRUST, LAKHAR/ADW TAL. SAMBODWAR, DIST. JALGAON

DR Gp. 01

 Director

Used in WT: 0000
 Cabs Capact: 0000
 Wheel Base: 0000
 RLV: 0000

DY RTO SAMGLI
 Issuing Authority

Signature of Issuing Authority

Principal
 Raigad Institute of Education



213



THE UNION OF INDIA
MAHARASHTRA STATE MOTOR DRIVING LICENCE




DL No : MH06 20090007946
Valid Till : 13-07-2021 (NT)

DOI : 16-04-2009
15-04-2018 (TR)
DLD 29-11-2016

FORM 7
RULE 16 (2)

AUTHORISATION TO DRIVE FOLLOWING CLASS
OF VEHICLES THROUGHOUT INDIA



COV	DOI
LMV-TR	16-04-2009
TRANS	30-10-2015
MCWG	14-07-2016



Badge: 5457BUS
DOB : 31-07-1965 BG :

Name : DEEPAK DALVI
S/DW of: VINAYAK DALVI
Add : ATIPO-NANDGAON, TAL-MURUD JANJIRA,
DIST-RAIGAD.


PIN : 402401
Signature & ID of
Issuing Authority: MH06 2016127C

[Signature]
Signature/Thumb
Impression of Holder

महाराष्ट्र मोटार वाहन नियम, १९८९च्या
नियम २१(१८) अन्वये

कॅब चालकाचे ओळखपत्र

अनुक्रमांक 29651




१. लायसन्सधारकाचे पूर्ण नाव Deepak Vinayak

२. वाहनचालक लायसन्स क्रमांक MH06 20090007

३. दिल्याचा दिनांक 16-04-2009

४. बिल्ला क्रमांक 5457 / BUS / P / 2016



लायसन्सधारकाचा पत्ता : At/PO- Nandgaon
Tal- Murud Janjira
Dist. Raigad
No. 997348 / 08 / 7/1/16

p
Dudalvi
लायसन्सधारकाची सही


DY. P. I. O. BEN (RAIGAD)
Maharashtra





Principal
Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.

Name	RASHTRIYA AAROGYA NYAY SANSHODHAN	Vehicle Registration No.	MH10K9472
Address	SANSTHA,A/P GAT NO.847,LANDAGEWADI,TAL KAVATHEMAHANKAL,SANGLI-416405,Sangli-415311	Partner Name	TURTMINT INSURANCE BROKING SERVICES PRIVATE LIMITED
Mobile	xxxxxxxx1198	Partner Code	1000088
Email	xxxxxxxxxx5@gxxol.com	Partner Email	support@turtlemint.com
Aadhar No.	--	Partner Mobile No.	--
		For claims,contact us at	1800-258-5956

YOUR POLICY DETAILS

Policy No.	D131564549 / 16012024	Policy Issue Date	16-Jan-2024	Invoice Date	16-Jan-2024
Period of Policy	From 18-Jan-2024 14:34:11 To 17-Jan-2025 23:59:59	NCB % (Current Policy)	20 %	Policy Type	Public Carrier
Compulsory Deductible	1000	Voluntary Deductible	--		

YOUR VEHICLE DETAILS

Make	SML ISUZU	Trailer Reg. No.		RTO Location	Sangli,MAHARASHTRA
Model/Vehicle Variant (Sub-Type)	WT 50 TC / 30 Seater/Diesel	Year of Regn. / Manufacturing	2014 / --	Licensed Seating Capacity	31
Engine No.	SLT3CX186130	Chassis No.	MBUWEL4X0X0192423	Cubic Capacity	3455 CC
Fuel Type	Diesel	Gross Vehicle Weight	6440KG	Vehicle Body Type	OEM Inbuilt Non AC
Goods Type	--	Permit Type	Public Carrier	Wheels	6
Odometer	FASTag Number NA	Financier Details			

FASTag NUMBER DECLARATION

The Policy has been issued subject to your affirmative declaration that a valid FASTag has been affixed on the insured vehicle.

YOUR VEHICLE IDV (THE MAXIMUM MONEY YOU CAN GET IN CASE OF A CLAIM)

Vehicle IDV (₹)	IDV of Electrical Accessories (₹)	IDV of Non-Electrical Accessories (₹)	CNG/LPG KIT IDV (₹)	Trailer IDV (₹)	Body IDV (₹)	Total IDV (₹)
800000	--	--	--	--	--	800000.00

OWN DAMAGE PREMIUM [A] (₹)		LIABILITY PREMIUM [B] (₹)	
Own Damage Premium (₹)	165.16	Basic Third-Party Liability (₹)	34542.00
Add-Ons Premium (₹)	0.00	PA cover for Owner-Driver (₹)	--
NCB Discount Amount (₹)	-33.03	Legal Liability to Paid (₹) Driver (Persons:1)	50.00
		Legal Liability to Paid (₹) Cleaner (Persons:1)	50.00
Total OD Premium (₹)	132.13	Total Act Premium (₹)	34642.00
Net Premium [A+B] (₹)			34774.13
CGST @ 9% = (₹3129.67) + SGST/UTGST @ 9% = (₹3129.67)			6259.34
Total Premium (₹)			41033.47

CSC ID	
VLE / RAP Name	
VLE / Mobile Number	

This policy is issued on the basis of declaration provided by you that the Vehicle shall only be used for the purpose of Carrying school staff and/or school children. Any deviation in usage of this vehicle other than what has been declared, shall amount to misrepresentation and Insurer shall have the right to cancel the policy and/or reject any claim on above stated gross violation.
Note: The above total OD premium is inclusive of all applicable loading / discounts viz (automobile association memberships, voluntary excess, anti-theft handicap person, driver tuition, fiber glass, CNG/ LPG unit, geographical extension, imported vehicle etc., wherever applicable).
 If the "Own Damage Cover" under your policy is cancelled during the policy period, then your policy shall be governed by the standard terms and conditions of "Act only" policy for the Third Party Cover during the remaining period of policy.
 In case of an accident to your vehicle, please intimate us immediately for SPOT SURVEY. Failure to intimate in time could prejudice your claim.

ENDORSEMENT

Policy No: D131564549
Page No: 1 of 2

Pollution Under Control Certificate

Authorised By .

Government of Maharashtra

Date : 29/01/2024


Time : 14:49:44 PM

Validity upto : 28/07/2024



Certificate SL. No. : MH00600130006731
 Registration No. : MH10K9472
 Date of Registration : 02/Aug/2014
 Month & Year of Manufacturing : March-2014
 Valid Mobile Number : *****2943
 Emission Norms : BHARAT STAGE III
 Fuel : DIESEL
 PUC Code : MH0060013
 GSTIN :
 Fees : Rs.150.00
 (GST to be paid extra as applicable)
 MIL observation : No

Vehicle Photo with Registration plate
 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
Smoke Density	Lambda	-	1 ± 0.03	
	Light absorption coefficient	1/metre	2.45	1.47

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
 60mm x 20 mm