

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025-2026

Clinical Material in Hospital


Name of College/Institute-Raigad Institute of Nursing Education Murud Raigad
Faculty-Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	Available	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Available	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual -1:10	Available	Adequate
c.	Average Bed Occupancy in %: 85% (Minimum 75%)	Available	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	NA	NA
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at college. • If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify: -

Date: - 29/01/2025


 Dean/ Principal Stamp & Signature
 Raigad Institute Of Nursing Education
 At. Walvati, Tal. Murud-Janjira.

Chairman of LIC

Member Of LIC

Member Of LIC



महाराष्ट्र MAHARASHTRA

© 2019 © Annexure-1 WF 539195

1 JAN 2022



सपकोबागारावे नांव:- मुरुड-जंजिरा
 मुद्रांक पुरवठ्याचा दिनांक:-
 सपकोबागार अधिकारी, मुरुड-जंजिरा

प्रतिष्ठापन कोणाकडे सादर करावयाचे For Submitting to.	शिष्टिका
प्रतिष्ठापनासाठीचे कारण. Reason for Affidavit	वेद्यार्थी, कायदा Law, Health, Law, Resear
मुद्रांक विकत घेणाऱ्याचे नाव व रहिवासी पत्ता Stamp Purchaser's Name/Place of residence	शारदा प्र. विनायक
मुद्रांक विक्री नं. वही नोंदवही अनु. क्र/दिनांक Serial No. & Date	२२४२२१८२१२२
मुद्रांक विकत घेणाऱ्याची सही. Stamp purchaser's Sign./ Date	Shigamkam
मुद्रांक विकत घेणाऱ्याचे नाव Stamp Purchaser's name	शारदा प्र. विनायक
परवानाधारक मुद्रांक विक्रेत्याची सही. Stamp purchasers Sign./Date	[Signature]
परवानाधारक मुद्रांक विक्रेत्याची सही व परवाना क्रमांक तसेच मुद्रांक विक्रीचे ठिकाण/पत्ता	[Signature] [Signature]

२२४ तारीख ८/२/२०२२

रक्कम रु. १००२ करीता

रु. १००२ चा जनरल स्टॅम्प

शारदा प्र. विनायक

श. विनायक

MOU: PARENT HOSPITAL

An MOU is made on 1st Day of February 2022.

BETWEEN

[Signature]

Dr. Mayur Kalyani aged 38 year's owner of the Hospital and member of Rashtriya Arogya Nyaya Sanshodhan Sanstha, trust having its office of Dr. Mayur Kalyani. Kalyani Maternity & General Hospital at Azad Chauk Murud Janjira, Maharashtra, Dist – Raigad, here in after

context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

AND

Rashtriya Arogya Nyaya Sanshodhan Sanstha's Rashtriya Arogya Nyaya Sanshodhan Sanstha's, Trust having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd , Near Nala, Dombivli (E) – 421 201., Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32 years, for NOOTAN SCHOOL OF NURSING hereinafter called 'THE INSTITUTE' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART;**

AND WHEREAS, the INSTITUTE was in need of 100 bedded **Dr. Mayur Kalyani. Kalyani Maternity & General Hospital** as Parental Hospital agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

- 1) **Term of the MOU:** MOU shall remain in force for period of **30 years** subject to extension of period by mutually agreement. Both the parties shall have to give **6 month's** advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 2) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 3) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 4) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.

IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED 'for parent Agency' }

Dr. Mayur Kalyani. Hospital, Murud }

Dr. Mayur R kalyani
BILMS (MUHS)
Reg. No.42026
M. Kalyani

SIGNED, SEALED & DELIVERED BY

Rashtriya Arogya Nyaya Sanshodhan

Santha and owner of the Hospital }

THE WITHIN NAMED LICENSEE }

Rashtriya Arogya Nyaya Sanshodhan Sanstha's,

Represented by its Administrator}

Mr. Tushar K. Divekar }

Tushar K Divekar
ADMINISTRATOR

IN THE PRESENCE OF FOLLOWING }

WITNESSES: }

MISS. Anurupa M. Dhote }

Mr. Satej H. Melli }


Anurupa Dhote
Satej H. Melli

Arogya Nyaya Sanshodhan Sanstha
(Affiliated to: National Health Law Research Institute)

BEFORE ME

Rajesh S Ghuge

Adv. Rajesh. S. Ghuge
Notary Govt. of India
Regd. No. 15067 Thane (M.S.)



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022-27576034
022-27572620
Visit At : <http://mpcb.gov.in>
Email : sro-raigad2@mpcb.gov.in



Address: Regional Office
Raigad, Raigad Bavan. 6th floor.
Sector - 11, C.B.D Belapur,
Navi Mumbai - 400614

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 10]

I. File number of authorization and date of issue
SRO Raigad-2/BMW-Auth/2105000651

Date: 26/05/2022

II. M/s. Kalyani Maternity And General Hospital, is hereby granted an authorization for generation biomedical waste on the premises situated at, Azad Chowk (Bazarpeth), Tal Murud-Janjira, Dist Raigad.


III. This authorization shall be in force for a period up to 31.03.2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier Authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 100 Nos.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste at facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



[Signature]


6. Treatment and disposal of Bio-medical waste generated from Hospital to - CBMWTSDF. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below

Sr. No.	Category	Type of waste	Qty not to exceeds Kg/M	Segregation colour coding	Treatment Disposal
1	Yellow	(a) Human Anatomical Waste	20	Yellow coloured non-chlorinated plastic bag	
		(c) Discarded waste item contaminated with blood)	71.25		
		(d) Discarded Medicines and Cytotoxic drugs	42		
		(h) Microbiology, Biotechnology and other clinical laboratory waste	28		
2	White (Translucent)	Waste Sharps including Metals	33	Puncture proof leak proof, tamper proof container	MWM Ltd. Taloja Area, Tal - Panvel, Dist - Raigad MIDC
3	Yellow	Solid Waste	108.14	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or microwaving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common




H.W. treatment & disposal facility setup as per the Hazardous Waste (MH& TM) Rules, 2008 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IV (rule 8(3) and (5)) also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continues	15000.00
2	To maintain records of BMW material received / delivered to authorized party /CBMWTSDF	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



R. S. Kamat
19/06/2022
(R. S. Kamat)
Sub Regional Officer, Raigad-2

To,
M/S. Kalyani Maternity & General Hospital,
Azad Chowk (Bazarpeth), Tal- Murud Janjira,
Dist - Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	30250/-	TXN2205000620	26-05-2022	E-Payment

Interior designer
Architectural designer / valuer
Architectural engineer / consultant of state bank of Hyderabad.
Architectural drawing, interior layout, electrical, plumbing, etc.
Architectural drawing, electrical, plumbing, etc.

91
vaastu
rekha


BUILDING COMPLETION CERTIFICATE

The building for the "Kalyani Maternity and General Hospital" is Constructed in Property Card No- 62/2/A/5 at Azad Chauk, Taluka Murud-Janjira, District Raigad.

Total building construction is completed with an area admeasuring of 1604.90 sq. Mt i.e., 17275 Sq.ft. as per architect plans approved. The building is well occupied, electrification and plumbing is also completed is fit and ready to use for hospital purpose. The building is having all sanitary requirement and soak pit drainage system is functioning. The ramp and rails are installed for barrier free environment is maintained well.


Date: 06/05/1998

Place: Murud-Janjira



Principal

Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.





FIRST FLOOR PLAN



GROUND FLOOR PLAN

1. GROUND FLOOR BIUP AREA :- 802.45 Sq.m
 2. FIRST FLOOR BIUP AREA :- 802.45 Sq.m
 TOTAL BIUP AREA :- 1604.90 Sq.m

SCHEDULE OF OPENING

DOORS	WINDOWS	VENT
D1 - 1.00X2.10 D2 - 4.75X2.10	W - 1.80 X 1.20 M.	V - 0.60 X 0.90

PLAN OF BUILDING FOR KALYANI MATERNITY AND GENERAL HOSPITAL

NOTE: DO NOT SCALE THE DRAWING/ DIMENSIONS WRITTEN PERMISSIONS ONLY.

SCALE: 1/10

DATE: 01/01/2024



OWNER





GOVERNMENT OF MAHARASHTRA

Public Health Services

CIVIL HOSPITAL ALIBAG - RAIGAD


Certificate of registration under section 5 of the
Bombay Nursing Home Registration Act 1949
(Under Rule 5) Renewal

This is to certify that Shri./Smt. Dr. Kalyani Moyur
Raj Has been registered
Under section Bombay Nursing Home Registration Act 1949 in
respect of: Kalyani Maternity & Gen. Hospital
Situated Murud - Raigad and has been authorized
to carry on the Nursing Home.

C
E
R
T
I
F
I
C
A
T
E



Registration No. 131 Maternity 20
Date of Registration. 03/04/2008 Other Patients 80
Place G.H. Alibag Total 100 Beds
Date of issue of certificate 01/04/2023
This certificate shall be valid up to 31 st March 2025


Civil Surgeon
Raigad - Alibag.



Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. KALYANI MATERNITY & GENERAL HOSPITAL

is a registered members of

CBMW-TSDF at MIDC, Talaja


for safe & secure disposal of

Bio Medical Waste.

Registration no: MWM - BMW RGID. 0151

This Certificate is valid upto

31st MARCH 2025 For 100 Beds.


Somnath Malgar
Project Head

Certificate No: MWM-BMW-



महाराष्ट्र MAHARASHTRA

© 2019 ©

WF 526949

BS

साहू कोट मील 0. गोडम
32031
57
57549

कुनाथ पांडुरंग मार्ले
मुदर 182-11 मुकुर
गवना क 296-08

MOU : AFFILIATED HOSPITAL AND NURSING INSTITUTE

An MOU is made on 26TH day of October, 2021

BETWEEN

Jagdale Hospital, Alibag represented by **DR B.S. Jagdale**, having its office and Hospital at Near to Shetkari Bhavan, Shreebag-3, Alibag, Dist- Raigad, hereinafter called '**Affiliated Agency**' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

AND

Rastriya Arogya Nyay Sanshodhan Sanstha **Rastriya Arogya Nyay Sanshodhan Sanstha's, Trust** having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd , Near Nala, Dombivli (E) – 421 201,. Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32 years, for RAIGAD INSTITUTE OF NURSING EDUCATION hereinafter called '**THE INSTITUTE**' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART**;


AND WHEREAS, the INSTITUTE was in need of 60bedded **Jagdale Hospital, Alibagas** affiliated agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

- 1) **Term of the MOU:** MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both the parties shall have to give six month's advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 2) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 3) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 4) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.

IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }
THE WITHIN NAMED '**Affiliated Agency**' }

Jagdale Hospital, Alibag}



Dr. Bhanubhai Jagdale
M.D. D.C.O. (N.P.)
Reg. No 49183 (Mumbai)

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED LICENSEE }

Rastriya Arogya Nyay Sanshodhan Sanstha, represented by its Administrator}

Mr. Tushar K. Divekar }




National Health Law Research Institute
(Org by: Rastriya Arogya Nyay Sanshodhan Sanstha)


IN THE PRESENCE OF FOLLOWING }

WITNESSES: }

Mr. Vijay G. Ubale }



Mr. Zaganu Shukla }



BEFORE ME








GOVERNMENT OF MAHARASHTRA
Public Health Services
CIVIL HOSPITAL ALIBAG - RAIGAD

Certificate of registration under section 5 of the
Bombay Nursing Home Registration Act 1949
(Under Rule 5) Renewal

This is to certify that Shri./Smt. Dr. Balasahab
Sopan Jagdale Has been registered
Under section Bombay Nursing Home Registration Act 1949 in
respect of Jagdale Hospital, Shiribag NO-3
Situated Alibag - Raigad and has been authorized
to carry on the Nursing Home.



Registration No. 43 Maternity 12 Beds
Date of Registration. 13-12-2006 Other Patients 48 Bed
Place Gr. H. Raigad Total 60 Beds
Date of issue of certificate 2021-2023
This certificate shall be valid up to 31 st March 2025


Civil Surgeon
Raigad - Alibag.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022- 27576034
Fax : 022- 27562132
Email : sroraigad2@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Sub Regional Office Raigad-2, Raigad Bhavan 6th
Floor, Sector-11, CBD Bolapur
Navi Mumbai - 400614

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-RAIGAD II/BMW_AUTH/0000043120 Date: 19/06/2021
- II. M/s. JAGDALE HOSPITAL, is hereby granted an authorization for generation biomedical waste on the premises situated near Shetkari Bhavan, Shreebag - 3, Allbag, Dist - Raigad.
- III. This authorisation shall be in force for a period up to 31/03/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: 60.

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to obtain prior permission of the prescribed authority to close down the facility.



M/s. JAGDALE HOSPITAL MPCB-BMW_AUTH- -0000043120 QMS.P06_F41

6. Treatment and disposal of Bio-medical waste generated from Hospital to CBMWTSDF. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here

Sr. No.	Category	Type of waste	Qty nor to exceeds Kg/M	Segregation colour coding	Treatment Disposal
		Human Anatomical	9	Yellow coloured non-chlorinated plastic bag	MWM Ltd. Talaja Area, Tal - Panvel. Dist - Raigad
		Contaminated waste (with blood)	33.4		
		(d) Discarded Medicines and Cytotoxic drugs	18		
		h) Microbiology, Biotechnology and other clinical laboratory waste	12	Separate collection system leading to effluents treatment system	
2.	White (Translucent)	Waste Sharps including Metals	15	Puncture proof leak proof, tamper proof container	
3.	Yellow	Solid Waste	52.10	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or microwaving, hydroclasting followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common




H.W. treatment & disposal facility setup as per the Hazardous Waste (MH& TM) Rules, 2008 as amended and authorized by MPCB.

- (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (rule 8(3) and (5)) also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



(IV) Recording of operational parameters: Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

(V) Validation test- Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^7 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

(VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 30th June every year including information about the categories and quantities of BMW handled during the preceding year.

12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.


13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I [see rule 4(o), 5(i) and 15(2)] to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. This authorization is valid only subject to validity of membership of CBMWTSDF and validity of Certificate of registration under Maharashtra (Bombay) Nursing Homes Registration Act, 1949 whichever is earlier.

16. The HCE authority shall provide ETP/STP to treat effluent generated within hospital premises before its further utilization on land for gardening or its disposal to local body drainage line.

17. This authorization issued subject to PP shall apply and obtained combined consent under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 amended there too.



18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continues	15000.00
2	To maintain records of BMW material received // delivered to authorized party /CBMWTSDF	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



R. S. Kamat

(R. S. Kamat)

*Sub Regional Officer, Raigad-2

To,
M/S. Jagdale Hospital,
Shreebag-3, Alibag, Tal-Alibag,
Dist - Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	6250/-	TXN2205000420	10-06-2021	F-Payment



Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. JAGDALE HOSPITAL (ALIBAGI)

is a registered members of

CBMW-TSDF at MIDC, Taloja


for safe & secure disposal of

Bio Medical Waste.

Registration no: MWM - BMW RGID - 0025

This Certificate is valid upto

31st MARCH 2025 For 60 Beds.


Somnath Malgar
Project Head

Certificate No: MWM-BMW-



महाराष्ट्र MAHARASHTRA

2019

WF 527219

20 OCT 2021

उपस्थित
मुद्रा
साक्ष्य

मि. व. शिंदे
3307/21
26/10/21

पु. न्याय पोस्टिंग कार्यालय
पु. न्याय
पु. न्याय

MOU : AFFILIATED HOSPITAL AND NURSING INSTITUTE

An MOU is made on 26TH day of October, 2021

BETWEEN

Laxmi I C U and Nursing Center, Alibag represented by DR. Vinit Shinde, having its office and Hospital at Opposite Raigad Bazar, Near Ice Factory, Shreebag no.03 Tal-Alibag, Dist-Raigad-402201, hereinafter called 'Affiliated Agency' (which expression shall unless

repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

AND

Rashtriya Aarogya Nyaya Sanshodhan Sanstha's, Trust having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd , Near Nala, Dombivli (E) – 421 201, . Represented by its' Administrator, Mr.Tushar K. Divekar, Age 32 years, for RAIGAD INSTITUTE OF NURSING EDUCATION hereinafter called 'THE INSTITUTE' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART**;

AND WHEREAS, the INSTITUTE was in need of 50 bedded **Laxmi I C U and Nursing Center, Alibag**, as affiliated agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

- 1) **Term of the MOU:** MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both the parties shall have to give six month's advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 2) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 3) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 4) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.


IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED '**Affiliated Agency**' }

Laxmi I C U and Nursing Center, ALIBAG }

SIGNED, SEALED & DELIVERED BY }


Laxmi ICU & Nursing centre
Opp.Raigad Bazar,Shreebag No.3
Alibag- Raigad
Reg.No.139/21.10.2008

Rastriya Arogya Nyay Sanshodhan Sanstha

represented by its **Administrator** }


Mr. Tushar K. Divekar }

IN THE PRESENCE OF FOLLOWING }



WITNESSES: }

Mr. Vijay G. Ubale }

Mr. Rajendra Shinde }



National Health Law Research Institute
राष्ट्रीय स्वास्थ्य विधि संशोधन संस्थान



Advocate S. G. Ghosh
Notary Govt. of Maharashtra



GOVERNMENT OF MAHARASHTRA

Public Health Services

CIVIL HOSPITAL ALIBAG - RAIGAD

Certificate of registration under section 5 of the
Bombay Nursing Home Registration Act 1949

(Under Rule 5) Renewal

This is to certify that Shri/Smt. Mrs. Madisha
Pandurang Shinde Has been registered

Under section Bombay Nursing Home Registration Act 1949 in

respect of Laxmi ICU & Nursing Centre, Shri Bay

No-3, Alibag Raigad

Situated Alibag Raigad and has been authorized

to carry on the Nursing Home.

Registration No. 139 Maternity -

Date of Registration 21-10-2008 Other Patients 50 Beds

Place G.H. Alibag Total 50 Beds

Date of issue of certificate 24-4-2023

This certificate shall be valid up to 31 st March 2025



[Signature]
Civil Surgeon
Raigad - Alibag.

C
E
R
T
I
F
I
C
A
T
E

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022-27576034
Fax : 022-27602132
Email : srcraigad2@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Sub Regional Office Raigad-2, Raigad Bhavan 8th
Floor, Sector-11, CDD Bolapur
Navi Mumbai - 400614

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

(Authorisation for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 7(4))

- I. File number of authorization and date of issue
SKO-RAIGAD II/BMW_AUTH/0000042750 Date: 21/06/2022
- II. M/s. LAXMI ICU & NURSING CENTRE, is hereby granted an authorization for generation biomedical waste on the premises situated Near Ice factory, Shreebag no. 03, Tal- Alibag, Dist - Raigad.
- III. This authorisation shall be in force for a period up to 31/03/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: 50

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



M.S. LAXMI ICU & NURSING CENTRE MPCB-BMW_AUTH--0000042750

QMS.P08.F41

6. Treatment and disposal of Bio-medical waste generated from Hospital to - CBMAWTSDF. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMAWTSDF in waste categories and quantities listed here in below

Sr. No.	Category	Type of waste	Qty. not to exceeds Kg/M	Segregation colour coding	Treatment & Disposal
1.	Yellow	(a) Human Anatomical	11	Yellow coloured non-chlorinated plastic bag.	MWM Ltd. Talaja Area, Tal - Panvel. Dist - Raigad
		(b) Discarded waste (contaminated with blood)	34.2		
		(d) Discarded Medicines and Cytotoxic drugs	20		
		(h) Microbiology, Biotechnology and other clinical laboratory waste	12		
2.	White (Translucent)	Waste Sharps including Metals	16	Puncture proof leak proof, tamper proof container	
3.	Yellow	Solid Waste	54.23	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or micro-waving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common




H.W. treatment & disposal facility setup as per the Hazardous Waste (MH&TM) Rules, 2008 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV [rule 8(3) and (5)] also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1928 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.


10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



- (IV) Recording of operational parameters,- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) Validation test: Spore testing. - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^8 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) Routine Test. - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 30th June every year including information about the categories and quantities of BMW handled during the preceding year.
 12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
 13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I [see rule 4(o), 5(i) and 15(2)] to the prescribed authority forthwith.
 14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
 15. This authorization is valid only subject to validity of membership of CBMWTSDF and validity of Certificate of registration under Maharashtra (Bombay) Nursing Homes Registration Act, 1949 whichever is earlier.
 16. The HCE authority shall provide ETP/STP to treat effluent generated within hospital premises before its further utilization on land for gardening or its disposal to local body drainage line.
 17. This authorization issued subject to PP shall apply and obtained combined consent under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 amended there too.



18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continues	15000.00
2	To maintain records of BMW material received / delivered to authorized party /CBMWTSDF	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



[Signature]

(R. S. Kamat)

*Sub Regional Officer, Raigad-2

To,
M/S. Laxmi ICU & Nursing Centre,
Near Ice Factory Shreebag-3, Alibag,
Tal-Alibag, Dist - Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	7300/-	TXN2204000240	21-06-2022	E-Payment



Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. LAXMI ICU & NURSING CENTRE (ALIBAGI)

is a registered members of

CBMW-TSDF at MIDC, Talaja


for safe & secure disposal of

Bio Medical Waste.

Registration no: MWM - BMW RGID - 0027

This Certificate is valid upto

31st MARCH 2025 For 50 Beds.


Somnath Malgar
Project Head

Certificate No: MWM-BMW-

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100



ONE HUNDRED RUPEES


सत्यमेव जयते

भारत INDIA
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2019

WF 526950



सदर न्यायालये मान्य मुकुंडजीजी
मुदाक मुकुण्डजीजी
सुपरी
सुपरीकोठामार राण.जी. मुकुंड-जीजीरा

म/सुपरी 21/10/21
सुपरी
सुपरी
सुपरी

25 नवंबर 2021
मुदाक मुकुण्डजीजी
सुपरीकोठामार राण.जी. मुकुंड-जीजीरा

MOU : AFFILIATED HOSPITAL AND NURSING INSTITUTE

An MOU is made on 26TH day of October, 2021

BETWEEN

Ashwini Hospital, Chaul represented by DR Kedar Oak, having its office and Hospital at Chaul Naka, Chaul, Alibag, Dist- Raigad, hereinafter called '**Affiliated Agency**' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART;**

AND

Rastriya Arogya Nyay Sanshodhan Sanstha Rastriya Arogya Nyay Sanshodhan Sanstha's, Trust having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd , Near Nala, Dombivli (E) – 421 201., Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32 years, for RAIGAD INSTITUTE OF NURSING EDUCATION hereinafter called 'THE INSTITUTE' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART;**

AND WHEREAS, the INSTITUTE was in need of 50 bedded **Ashwini Hospital, Chaulas** affiliated agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:


- 5) **Term of the MOU:** MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both the parties shall have to give six month's advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 6) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 7) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 8) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.

IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED 'Affiliated Agency' }

Ashwini Hospital, Chaul }



Dr. Kedar Oak
M.D. (D.G.O.) (CPS)
Obstetrician & Gynecologist
Reg. No. 87954

SIGNED, SEALED & DELIVERED BY }
DIT

THE WITHIN NAMED LICENSEE }

Rastriya Arogya Nyay Sanshodhan Sanstha, represented by its
Administrator}

Mr. Tushar K. Divekar }






IN THE PRESENCE OF FOLLOWING }

WITNESSES: }

Mr. Vijay G. Ukhale }

Mr. Zayade Shukla }

National Health Law Research Institute
Rastriya Arogya Nyay Sanshodhan Sanstha





Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. ASHWINI HOSPITAL - CHAUL, ALIBAGI

is a registered members of

CBMW-TSDF at MIDC, Taloja


for safe & secure disposal of

Bio Medical Waste.

Registration no: MWM - BMW RGID - 0062

This Certificate is valid upto

31st MARCH-2025 For 50 Beds.


Somnath Malgar
Project Head

Certificate No: MWM-BMW-

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022- 27576034
Fax : 022- 27562132
Email : sroraigad2@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Sub Regional Office Raigad-2, Raigad Bhavan 6th Floor, Sector-11, CBD Bolapur

Navl Mumbai - 400614

LETTER OF BIO-MEDICAL WASTE AUTHORISATION


[Authorisation for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SRO-RAIGAD I/BMW_AUTH/0000043440 Date: 19/07/2022
- II. M/s. ASHWINI HOSPITAL, is hereby granted an authorization for generation biomedical waste on the premises situated at Chaul Naka, Chaul, Tal - Alibag Dist - Raigad.
- III. This authorisation shall be in force for a period up to 31/03/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: 50.

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to obtain prior permission of the prescribed authority to close down the facility.

M/S. ASHWINI HOSPITAL MPCB-BMW_AUTH--0000043440



No	Segregation colour coding	Qty not to exceed Kg/M	Treatment	Disposal	
1	Yellow	(a) Human Anatomical Waste	12	Yellow coloured non-chlorinated plastic bag	MWM Ltd. Talaja Area, Tal - Panvel. Dist - Raigad
		(b) Soiled waste item contaminated with blood	34		
		(d) Discarded Medicines and Cytotoxic drugs	19		
		(h) Microbiology, Biotechnology and other clinical laboratory waste	13		
2	White (Translucent)	Waste Sharps including Metals	18	Puncture proof leak proof, tamper proof container	
3	Yellow	Solid Waste	55.20	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or microwaving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common



M/s. ASHWINI HOSPITAL MPCB-BMW_AUTH--0000043440

QMS.P06_F41

Page 2 of 3


H.W. treatment & disposal facility setup as per the Hazardous Waste (MH& TM) Rules, 2008 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (rule 8(3) and (5)) also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.


10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



- (IV) Recording of operational parameters.- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) Validation test: Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) Routine Test. - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 30th June every year including information about the categories and quantities of BMW handled during the preceding year.
 12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
 - (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
 13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I {see rule 4(o), 5(i) and 15(2)} to the prescribed authority forthwith.
 14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
 15. This authorization is valid only subject to validity of membership of CBMWTSDF and validity of Certificate of registration under Maharashtra (Bombay) Nursing Homes Registration Act, 1949 whichever is earlier.
 16. The HCE authority shall provide ETP/STP to treat effluent generated within hospital premises before its further utilization on land for gardening or its disposal to local body drainage line.
 17. This authorization issued subject to PP shall apply and obtained combined consent under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 amended there too.



M/S. ASHWINI HOSPITAL MPCB-BMW_AUTH. -0000043440

QMS.P06_F41

Page 4 of 5

18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.epcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.epcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continues	15000.00
2	To maintain records of BMW material received / delivered to authorized party /CBMWTSDF	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



(R. S. Kamat)

*Sub Regional Officer, Raigad-2

To,
M/S. Ashwini Hospital,
Chaul Naka, Chaul,
Tal-Alibag, Dist - Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	6750/-	TXN2304000325	19-07-2022	E-Payment



महाराष्ट्र MAHARASHTRA

2023

94AA 002936

22 JUL 2024
सिधोपासाराचे नांव:- मुरुड-जंजिरा
मुद्रांक पुरवठ्याचा दिनांक:-
सप्लॉनकार अधिकारी, मुरुड-जंजिरा

विशेष नोंद
3836/24
24/07/2024

Rashtriya Aarogya Nyaya Sanshodhan Sans
Established by: National Health Law Research Inst

श्री.रघुनाथ पांडुरंग माळी
मुद्रांक विक्रेता मुरुड
परवाना क्रमांक 2/१६-१७

MOU : AFFILIATED HOSPITAL AND NURSING INSTITUTE


An MOU is made on day of July, 2024

BETWEEN

Dr. Saroj Tamboli Memorial Hospital, Alibag represented by DR A.C. Kotekar, having its office and hospital at Dr. B.T tamboli Marg, Ramnath, Alibag Dist- Raigad hereinafter called 'Affiliated Agency' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

AND

Rashtriya Aarogya Nyaya Sanshodhan Sanstha, Trust having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd , Near Nala, Dombivli (E) – 421 201., Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32



years, for RAIGAD INSTITUTE OF NURSING EDUCATION hereinafter called 'THE INSTITUTE' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART**;

AND WHEREAS, the Trust and INSTITUTE was in need of 100 bedded **Dr. Saroj Tamboli Memorial Hospital** as affiliated agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

- 1) Term of the MOU: MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both the parties shall have to give 3 month's advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 2) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 3) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 4) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.

IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }
THE WITHIN NAMED 'for Affiliated Agency'
Dr. Saroj Tamboli Memorial Hospital, Alibag}

SIGNED, SEALED & DELIVERED BY }
THE WITHIN NAMED LICENSEE

Rashtriya Aarogya Nyaya Sanshodhan Sanstha,

represented by its Administrator }

Mr. Tushar K. Divekar }

IN THE PRESENCE OF FOLLOWING }

WITNESSES: }

1) Ms. Rutuja M. Dhote }

2) Ms. Snehal V. wani }

A. Kulkarni
DR. A. C. KOTERKAR
M.Sc. (Nursing)
CONSULTING SURGEON
Reg. No. 60019

T. Divekar
ADMINISTRATOR


Rashtriya Aarogya Nyaya Sanshodhan Sanstha
(Organized by: National Health Law Research Institute)

R. Dhote
S. Wani

BEFORE ME

Rajesh S. Ghuge

Adv. Rajesh. S. Ghuge
Notary Govt. of India
Regd. No. 15067 Thane (M.S.)



NOTED & REGISTERED
Page No. 18... Sr. No. 201
Date: 25.11.2024



GOVERNMENT OF MAHARASHTRA
Public Health Services

CIVIL HOSPITAL ALIBAG - RAIGAD

Certificate of registration under section 5 of the
Bombay Nursing Home Registration Act 1949
(Under Rule 5) Renewal

This is to certify that Shri/Smt. Dr. Atul Kotekar

_____ Has been registered

Under section Bombay Nursing Home Registration Act 1949 in

respect of: Dr. Soroj Tamboli memorial Hospital

Situated Alibag
Romnath Alibag and has been authorized

to carry on the Nursing Home.

Registration No. 15 Maternity 20

Date of Registration. 08/04/2019 Other Patients. 80

Place. G.H. Alibag Total 100 Beds

Date of issue of certificate 01/04/2023

This certificate shall be valid up to 31 st March 2025



[Signature]
Civil Surgeon
Raigad - Alibag.

C
E
R
T
I
F
I
C
A
T
E

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022-27576034
Fax : 022-27562132
Email : sroraigad2@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Sub Regional Office Raigad-2, Raigad Bhavan 6th
Floor, Sector-11, CBD Belapur
Navi Mumbai - 400614


LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorization and date of issue
SKO-RAIGAD II/BMW_AUTH/0000043802 Date: 15/06/2022
- II. M/s. SAROJ TAMBOLI MEMORIAL HOSPITAL, is hereby granted an authorization for generation biomedical waste on the premises situated at, Dr. B.T. Tamboli Marg, Ramnath, Tal - Alibag, Dist - Raigad.
- III. This authorisation shall be in force for a period up to 31/03/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No. of Beds: 100

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to obtain prior permission of the prescribed authority to close down the facility.



M/S. SAROJ TAMBOLI MEMORIAL HOSPITAL, MPCB-BMW_AUTH-0000043802 @MS-111_P41

6. Treatment and disposal of Bio-medical waste generated from Hospital to - CBMWTSDF. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below

Sr. No.	Category	Type of waste	Qty. not to exceeds Kg/M	Segregation colour coding	Treatment & Disposal
1	Yellow	(a) Human Anatomical Waste	21	Yellow coloured non-chlorinated plastic bag.	MWM Ltd. Taloja Area, MIDC Tal - Panvel, Dist - Raigad
		(c) Soiled waste - item contaminated - with blood)	54.9		
		(d) Discarded Medicines and Cytotoxic drugs	40		
		(h) Microbiology, Biotechnology and other clinical laboratory waste	29	Separate collection system leading to effluent treatment system	
2	White (Translucent)	Waste Sharps including Metals	31	Puncture proof leak proof, tamper proof container	
3	Yellow	Solid Waste	107.23	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or microwaving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common




H.W. treatment & disposal facility setup as per the Hazardous Waste (MH& TM) Rules, 2008 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IV (rule 8(3) and (5)) also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.


10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



- (IV) Recording of operational parameters: Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) Validation test: Spore testing - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^6 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 30th June every year including information about the categories and quantities of BMW handled during the preceding year.
 12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
 13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I {see rule 4(o), 5(i) and 15(2)} to the prescribed authority forthwith.
 14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
 15. This authorization is valid only subject to validity of membership of CBMWTSDF and validity of Certificate of registration under Maharashtra (Bombay) Nursing Homes Registration Act, 1949 whichever is earlier.
 16. The HCE authority shall provide ETP/STP to treat effluent generated within hospital premises before its further utilization on land for gardening or its disposal to local body drainage line.
 17. This authorization issued subject to PP shall apply and obtained combined consent under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 amended there too.



MPCB/SAROJ TAMBOLI MEMORIAL HOSPITAL MPCB-BMW_AUTH--0000043802

QMS.P06_F41

Page 4 of 5

18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January.	Continues	15000.00
2	To maintain records of BMW material received / delivered to authorized party /CBMWTSDF.	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



[Signature]
(R. S. Kamat)

*Sub Regional Officer, Raigad-2

To,
M/S. Saroj Tamboli Memorial Hospital
Dr.B.T. Tamboli Marg, Ramnath, Alibag,
Tal-Alibag, Dist - Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	32000/-	TXN2205000101	15-06-2022	E-Payment



Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. SAROJ TAMBOLI MEMORIAL HOSPITAL-ALIBAG

is a registered members of

CBMW-TSDF at MIDC, Taloja

for safe & secure disposal of

Bio Medical Waste.

Registration no: MWM - BMW RGID - 0013

This Certificate is valid upto

31st MARCH 2025 For 100 Beds.

Somnath Malgar
Project Head

Certificate No: MWM-BMW-



महाराष्ट्र MAHARASHTRA

7 OCT 2021

2019

WF 526956

उपकोषागाराचे नांव:- मुरुड-जंजिरा

मुद्रांक पुरवठा करावा दिनांक:-

उपकोषागार अधिकारी, मुरुड-जंजिरा

म. प्र. नं. 2019
म. प्र. नं. 325015
म. प्र. नं. 309
म. प्र. नं. 202015

25/10/21
मुद्रांक पुरवठा करावा

MOU : AFFILIATED HOSPITAL AND NURSING INSTITUTE

An MOU is made on 16TH day of October, 2021

BETWEEN

Shriyash Hospital, Murud represented by DR. Mangesh Patil, having its office and Hospital at – Hirai Niwas, Dr. Rajendra Prasad Road Murud, Tal-Murud, Dist-Raigad – 402401. Herein after called 'Affiliated Agency' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

AND

Rashtriya Aarogya Nyaya Sanshodhan Sanstha's, Trust having its office at Flat No.304, Third Floor, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd, Near Nala, Dombivli (E) – 421 201,. Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32 years, for RAIGAD INSTITUTE OF NURSING EDUCATION hereinafter called '**THE INSTITUTE**' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART**;

AND WHEREAS, the INSTITUTE was in need of 50 bedded **Shriyash Hospital, Murud** as Affiliated Hospital agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

- 1) **Term of the MOU:** MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both the parties shall have to give six month's advance intimation / notice if they want to terminate the said MOU before expiry of the agreement.
- 2) The Responsibility and liability arises regards to students is the sole responsibility of the second part
- 3) The Rotation plan will be planned as per discussion between both the parties and as per Syllabus of the Indian Nursing Council, New Delhi
- 4) It shall be second part responsibility regards to the transport of the Nursing students from institute to Hospital and other places as per the requirement and need of the students.


IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY }

THE WITHIN NAMED '**Affiliated Agency**' }

Shriyash Hospital, Murud represented by

DR Mangesh Patil, }




SIGNED, SEALED & DELIVERED BY }
THE WITHIN NAMED LICENSEE }

Rastriya Arogya Nyay Sanshodhan Sanstha

represented by its Administrator }

Mr. Tushar K. Divekar }




National Health Law Research Institute
(Org by: Rastriya Arogya Nyay Sanshodhan Sanstha)

IN THE PRESENCE OF FOLLOWING }

WITNESSES: }

Mr. Vijay G. Okale }

Mrs. Zogade Shrikant }





GOVERNMENT OF MAHARASHTRA

Public Health Services

CIVIL HOSPITAL ALIBAG - RAIGAD

Certificate of registration under section 5 of the
Bombay Nursing Home Registration Act 1949
(Under Rule 5) Renewal

This is to certify that Shri/Smt. Dr. Mangesh. S.
Patil Has been registered

Under section Bombay Nursing Home Registration Act 1949 in
respect of: Shreyash Hospital

Situated Dr. R.P. Road Murud and has been authorized
Janjira
to carry on the Nursing Home.


Registration No. 476 Maternity 10



Date of Registration. 05/04/2019 Other Patients. 40

Place. G.H. Alibag Total 50 Beds

Date of issue of certificate 01/04/2023

This certificate shall be valid up to 31 st March 2025


Civil Surgeon
Raigad - Alibag.





Mumbai Waste Management Limited

SERVICE CERTIFICATE

M/S. SHREEYASH HOSPITAL - MURUD

is a registered members of
CBMW-TSDF at MIDC, Taloja
for safe & secure disposal of
Bio Medical Waste.

Registration no: MWM - BMW RGID - 0418

This Certificate is valid upto

31st MARCH 2025 For 50 Beds.

Somnath Malgar
Project Head

Certificate No: MWM-BMW-

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 022-27576034
022-27572620
Visit At: <http://mpcb.gov.in>
Email: storagad2@mpcb.gov.in



Address: Regional Office
Raigad, Raigad Bayan, 6th floor,
Sector - 11, C.B.D Belapur,
Navi Mumbai - 400614

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Collection, Reception, Segregation, Storage of Bio-Medical Wastes under Rule 10]



- I. File number of authorization and date of issue
SRO Raigad-2/BMW-Auth/22-06-000208 Date: 13/06/2022
- II. M/s. SHREEYASH HOSPITAL, is hereby granted an authorization for generation biomedical waste on the premises situated at, Hirai, Dr. R. P. Road, Seaface Lane, Murud Janjira, Dist- Raigad.
- III. This authorization shall be in force for a period up to 31.05.2026. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier Authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 50 Nos.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

M/s. SHREEYASH HOSPITAL MPCB-BMW_AUTH-0000043657

QMS.P06_F. Principal

Page 1 of 5

Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.

6. Treatment and disposal of Bio-medical waste generated from Hospital to CBMWTSDF. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below.

Sr. No.	Category	Type of waste	Qty not to exceeds Kg/M	Segregation colour coding	Treatment Disposal
1	Yellow	(a) Human Anatomical Waste	10	Yellow coloured non-chlorinated plastic bag.	
		(c) Soiled waste item contaminated with blood	37.8		
		(d) Discarded Medicines and Cytotoxic drugs	20		
		(h) Microbiology, Biotechnology and other clinical laboratory waste	15		
2	White (Translucent)	Waste Sharps including Metals	15	Puncture proof leak proof, tamper proof container	MWM Ltd. Taloja Indl Area, MIDC Tal - Panvel, Dist - Raigad
3	Yellow	Solid Waste	55	Incineration or Plasma Pyrolysis or deep burial. In absence of above facilities, autoclaving or micro-waving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.	

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule I of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common



Asst. Supt. Taloja Hospital, MPCB BMW AUTH-0000041657

QMS.P06_P41

Page 2 of 3

HW treatment & disposal facility setup as per the Hazardous Waste (MH& TM) Rules, 2008 as amended and authorized by MPCB.


- (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IV (rule 8(3) and (5)) also carry information prescribed in Schedule IV (part B) and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1928 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No BMW shall be mixed with other waste.
- (vi) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio- medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or

(JII) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.



M/s. SHREEYASHI HOSPITAL MPCB-BMW_AUTH-0000043657

QMS. Officer
Principal

Page 3 of 5

Rangad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.

(IV) Recording of operational parameters. Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record date, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

(V) Validation test: Spore testing. The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^8 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.

(VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 30th June every year including information about the categories and quantities of BMW handled during the preceding year.

12 (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.


13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I [see rule 4(o), 5(i) and 15(2)] to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. This authorization is valid only subject to validity of membership of CBMWTSDF and validity of Certificate of registration under Maharashtra (Bombay) Nursing Homes Registration Act, 1949 whichever is earlier.

16. The HCE authority shall provide ETP/STP to treat effluent generated within hospital premises before its further utilization on land for gardening or its disposal to local body drainage line.

17. This authorization issued subject to PP shall apply and obtained combined consent under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008 amended there too.



M/s. SINDHEYA HOSPITAL, MPCB-BMW_AUT11--0000043657


QMS.P06_F41

Page 4 of 5

18. This authorization shall not construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
19. You shall submit details of Management and Handling of outdated, discarded, unused cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st June every year.
20. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities.
21. HCE should submit Bank Guarantee in favor of Regional Officer, Raigad within 15 days as per below conditions:

Sr. No.	Activity/Condition to be complied	Compliance Timeline (Month)	Bank Guarantee of Rs.
A	Operation and Maintenance		
1	To segregate and Handle BMW as per conditions of Authorization/BMW Rule	Continuous	25000.00
B	Records		
1	To maintain records of BMW and submission of Annual Report in Form-II before 31 st January	Continues	15000.00
2	To maintain records of BMW material received// delivered to authorized party /CBMWTSDF.	Continues	10000.00

For and on behalf of the
Maharashtra Pollution Control Board



[Signature]
13/06/2022
(R. S. Kamat)
*Sub Regional Officer, Raigad-2

To,
M/s. SHREEYASH HOSPITAL,
Hirai, Dr. R. P. Road, Seaface Lane,
Murud Janjira, Dist- Raigad.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date	Drawn On
1.	6250/-	TXN2205000109	02.05.2022	E-Payment

M/s. SHREEYASH HOSPITAL MPCB-BMW_AUTII--0000043657

QMS.P06

[Signature]
Principal

Page 5 of 5

Raigad Institute Of Nursing Education
At. Walvati, Tal. Murud-Janjira.



महाराष्ट्र MAHARASHTRA

2023

94AA 357857

26 NOV 2024

अनुक्रमिक 2060

श्री./श्रीम. मिलेश मोहन धरणे

हस्ते : स्वतः

रा. मुसुड किंमत 900 रु.

दिनांक : 06/11/2024



उपकोषणारको मुरुड-जंजिरा
मुद्रांक पुरवठणात दिनांक

उपकोषणार अधिकारी, मुरुड-जंजिरा

[Handwritten Signature]



मंगेश प्र. वर्णे
स्टॅम्प व्हेंडर मुरुड
परवाना क्र. 3/९६-९७



MOU: AFFILIATED PSYCHIATRIC HOSPITAL


An MOU is made on 10th day of January, 2025

BETWEEN

Nityanand Institute for Medical Sciences, Pune represented by DR. Nitin Dalaya, having its Hospital at Opposite Vidura Navle Farm, Post- Pachane, Taluka – Maval, Pune Maharashtra, hereinafter called 'Affiliated Hospital' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **FIRST PART**;

हमीपत्र	
...	-
...	-
...	-
...	-
...	निर्देश मोहन वराणे
...	-
...	स्वतः
...	१००/-
...	२०२०/२०२४ ता. ०९/१२/२०२४
...	<i>[Signature]</i>
...	<i>[Signature]</i> ७७ ३१६५७





AND

of the Nyay Sanshodhan Sanstha's, Trust having its office at Flat No.304, Hindivkar, Dattabhumik Co-op. Housing Society Ltd., Nandivli Rd, Near Nala, Dombivli (E)-421 201, Represented by its' Administrator, Mr. Tushar K. Divekar, Age 32 years, for Raigad Institute of Nursing Education hereinafter called 'THE INSTITUTE' (which expression shall unless repugnant to the context or meaning thereof and shall include his legal heirs, executors, administrators and assigns) of the **SECOND PART**;

AND WHEREAS, the INSTITUTE was in need of 150 bedded Nityanand Institute for Medical Sciences, Pune, as affiliated agency for Clinical experience of Nursing Students for their Nursing Institute, who willingly agreed to offer Hospital and all basic facilities / amenities for clinical experience of Nursing Students. Accordingly, the parties have decided to convert the mutually agreed terms and conditions of this MOU into writing, which are as follows:

Term of the MOU:

- 1) MOU shall remain in force for period of 5 years subject to extension of period by mutually agreement. Both party shall have a to give a six months advance intimation/notice if they want to terminate the said MOU before expiry of the agreement.
- 2) Food charges: Rs 4500/- per person per month.
(Please note: This is valid only for those students/ tutor who will be residing at the setup. Food Includes Breakfast, Lunch, Dinner & Twice tea)
- 3) Residential charges: 2500/- per month. (Per student/Tutor) For 15th days 1000Rs.
- 4) The residential facility is like a dormitory.
- 5) The food charges and residential charges are mandatory for Supervisors/ teachers accompanying the batches.
- 6) Student fees: 1500/- per month. (Per student) For 15th days 1000Rs.
Please note: Above mentioned charges would vary (increase/decrease) as per duration of the Stay of the students. If posting would be for more than a month charges would vary.
- 7) The rotation plan will be planned as per discussion between both the parties and as per syllabus of the Indian Nursing Council, Delhi.
- 8) Timetable and routine schedule for students would be given once the students are here.
- 9) Students are expected to do their posting at our Pachanegaon setup. Residential facility is available at Pachanegaon center only.

10) You will have to confirm your posting with us as early as possible. In that case you're expected to pay a deposit which is nonrefundable. Deposit: You will have to pay half the amount of Residential and Students fees as for total no of students.
Please note: Booking for chosen time period is done only if payment is done in advance

11) Remaining charges i.e. Residential, Food & Students fees will have to be paid once the students are at the Centre.

IN WITNESS WHEREOF the parties hereto have set and subscribe their respective hands and signed this Agreement on the day and year first hereinabove written.

SIGNED, SEALED & DELIVERED BY
THE WITHIN NAMED 'Affiliated Agency'

Nityanand Institute for Medical Sciences, Pune




SIGNED, SEALED & DELIVERED BY
THE WITHIN NAMED LICENSEE

Raigad Institute of Nursing Education,
represented by its Administrator
Mr. Tushar K. Divekar

IN THE PRESENCE OF FOLLOWING

WITNESSES: *[Signature]*

Mr. Satej R. Meeli
Mondgon, Tel. Murud-Janjira,



[Signature]



NOTED & REGISTERED
Page No. 014 Ser. No. 32
Date: 06/02/2025

BEFORE ME

[Signature]
M. J. Tambadkar 06/02/2025
ADVOCATE & NOTARY
"Parishram Nivas," Laxalkhar,
Ward No. 9, House No. 147,
Tal. Murud-Janjira, Dist. Raigad-402 40
Tel : 02144274110 Mob: 9423377310



आधार

भारत सरकार

भारत सरकार
Unique Identification Authority of India
Government of India

संस्थापक क्रम / Enrollment No. : 2006/90002/02238

00002212
To
Tushar Krishna Divekar
तुषार कृष्ण दिवेकर
House No. 40 - A, Dhawani Pakhadi
At. / Po. Nandgaon
Tal. Murud
Nandgaon
Nandgaon, Murud, Raigad,
Maharashtra - 402401
9270208520



KA600244044FH
60024484







(Handwritten Signature)

आपका आधार क्रमांक / Your Aadhaar No. :

7492 2415 0856

मेरा आधार, मेरी पहचान




 तुषार कृष्ण दिवेकर
 Tushar Krishna Divekar

 जन्म तिथि / DOB: 03/05/1985
 पुरुष / Male
7492 2415 0856

 मेरा आधार, मेरी पहचान



MAHARASHTRA STATE MENTAL HEALTH AUTHORITY

(MSMHA)

Form-F

[See rule 66]

CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder.

Name: - Dr. Nitin Veersingh Dalaya

Address: - Nityanand Institute of Medical Science, at post Pachane gaon, Opp.
Vidura Navale farm, Taluka Mulshi, Dist. Pune

No of beds:- 150


Permanent Registration Certificate No. 47/2023


The Permanent registration certificate No.47/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 09/08/2023

Dr. Swapnil Lale
Chief Executive Officer
State Mental Health
Authority, Mumbai
Seal of the Registration Authority




Registration Authority
(MSMHA)



महाराष्ट्र राज्य मानसिक आरोग्य प्राधिकरण

प्राधिकरण, आरोग्य भवन, ७वा मजला, पी.डिमेलो रोड, फोर्ट, मुंबई

E-mail : smhamaharashtra@gmail.com

सदस्य :

सहसचिव, सप्ता. न्याय विभाग
मंत्रालय मुंबई

सहसचिव, सार्वजनिक आरोग्य,
मंत्रालय मुंबई

संचालक वैद्यकीय शिक्षण व
संशोधन मुंबई

मनोविकृती विभाग प्रमुख,
जी.एस.सी. मुंबई

वैद्यकीय अधीक्षक प्रा.म.रु. ठाणे

डॉ. शाश्वत शेंदे

श्री. रॉनी जॉर्ज

श्रीमती तस्नीम राजा

डॉ. रिचा शेटे

श्रीमती नीलम बनसोडे

श्रीमती जॉय कॅल्डीन मॉन्टेरिओ

श्रीमती परविन शेंख

श्री. असीम सुहास सरोदे

श्री. मिलिंद म्हैसकर, (भा.प्र.रो.)
अध्यक्ष,
राज्य मानसिक आरोग्य प्राधिकरण

डॉ. स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी,
राज्य मानसिक आरोग्य प्राधिकरण

जावक क्रमांक:- 2686 - 87
दिनांक - 09/08/2023


प्रति,

डॉ. नितीन वीरसिंग दलाया
नित्यानंद इंस्टीट्यूट ऑफ मेडिकल सायन्स,
मु.पो. पोस्ट पाचने गाव, विदुरा नवले फार्म समोर,
तालुका मुळशी, जिल्हा-पुणे

विषय - मानसिक आरोग्य कायदा-२०१७ अन्वये नोंदणी देण्याबाबत.

उपरोक्त विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मधील विहित केलेल्या अटी व शर्तीच्या अधिन राहून आपले नित्यानंद इंस्टीट्यूट ऑफ मेडिकल सायन्स, मु.पो. पोस्ट पाचने गाव, विदुरा नवले फार्म समोर, तालुका मुळशी, जिल्हा-पुणे चा परवाना मंजूर करण्यात आला आहे.

यास्तव, आपणास असेही कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मध्ये विहित केलेल्या अटी व शर्तीचे तंतोतंत पालन करण्यात यावे.



डॉ. स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी
राज्य मानसिक आरोग्य प्राधिकरण मुंबई

प्रत - जिल्हा मानसिक आरोग्य कार्यक्रम पुणे यांना माहितीस्तव




LIFE SECURE ENTERPRISES

Common Bio-Medical Waste Treatment, Storage & Disposal Facility
MIMER Medical College Campus, Talegaon Dabhade (M) Tal. Maal, Dist. Pune 410507.
Helpline No. : +91 9130000430, E-Mail: lifesecure_mail4@gmail.com



Unique Registration No.: LS-PMVL-GH-0716



Offline QR

Outward No. : LSE/OUT/CER/2024-25/002




Online QR

Date : 14-Aug-2024

Registration Certificate

This is to certify that, NITYANAND REHABILITATION CENTER AND NIMS, PUNE, AT- PACHANE, POST- CHANDKHED, CITY CHANDKHED, TAL.- MAVAL, DIST:- PUNE, PIN:- 410506, is registered with M/s LIFE SECURE ENTERPRISES, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- | | | | |
|---|---|---|--|
| 1 | Authorized Person of HCE
(Name and Designation) | : | DR. NITIN DALAYA
Director: M D (Psychiatry) |
| 2 | Bombay Nursing Home Act Registration Details | : | N/A |
| | a. BNH Registration No | : | N/A |
| | b. BNH Issue Date | : | N/A |
| | c. Total Number of Beds | : | N/A |
| | d. BNH validity (Form 'C') | : | N/A |
| 3 | Common Treatment Facility Registration Details | : | 01-May-2019 |
| | a. Date of Registration | : | 100 |
| | b. No. of Beds Registered | : | 01-Jul-2024 |
| | c. Issue Date | : | 31-Mar-2025 |
| | d. Registration Validity | : | |
| 4 | Renewal of CTF Membership (if applicable) | : | 31-Mar-2025 |
| | a. Renewal Date | : | 100 |
| | b. No. of Beds | : | |
| 5 | MPCB Consents (Establish/ 1 st Operator/Renewal Details) | : | N/A |
| | a. Consent / CCA Number | : | N/A |
| | b. Issue Date | : | N/A |
| | c. Validity upto | : | N/A |



[Signature]
Authorized Signature
Name : Suhas R. Medsingo
Designation : Director

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



भारत सरकार
Government of India



नितिन वीरसिंग दलाया
Nitiin Veersingh Dalaya
जन्म तिथि/DOB: 14/12/1964
पुरुष/ MALE
Mobile No: 9552503201

8223 7412 6471

माझे आधार, माझी ओळख




भारतीय नितिन वीरसिंग दलाया
Bharatiya Nitiin Veersingh Dalaya
Government of India



पत्ता:
नितिन व दलाया, सर नो १३ कट्स ८९ फ्लॅट नो १०२
ब्लॉक ०१, कुमार सानेट, पुणे सिटी, पुणे सिटी, त. ०१.०१,
पुणे,
महाराष्ट्र - ४११०४५

Address:
NITIN V DALAYA, SR NO 13 CTS 881 FLAT
NO 102 BLDG A1, KUMAR SANET, PUNE
CITY, Pune City, PO: N.i.a., DIST: Pune,
Maharashtra - 411045



8223 7412 6471



1947



help@uidai.gov.in



www.uidai.gov.in